


StoTherm™ NEXt Flanged Window Jamb

Date: September 2007

**Notes:**

1. Provide a mock-up installation and test using materials and subtrades associated with the project.
2. Protect rough opening against water penetration by wrapping with Sto Gold Fill[®] with Sto Detail Mesh and Sto Gold Coat[®]. Direct any water penetration to the exterior at or above the sill pan flashing (Refer to Sto Details 10.27 and 10.29).
3. Provide continuous air barrier connection around the perimeter of the window to reduce: leaking, condensation related to air movement and sound and insect intrusion.
4. Coordinate Sto Gold Guard installation sequence with window installer and other related trades.

ATTENTION

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, or for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to Sto products, and to the structure of the building or its components. **STO CORP. DISCLAIMS ALL WARRANTIES EXPRESS OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME.** For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com.

www.stocorp.com