

Building with conscience.





StoColor Acryl Plus Delivers superior color stability and fade resistance

StoColor Acryl Plus

Formulated for outstanding performance, StoColor® Acryl Plus is the solution for projects demanding weather endurance, and visual appeal. Whether applied over concrete masonry, concrete, EIFS, or stucco systems, this premier decorative coating elevates both interior and exterior building aesthetics. It shields against weather, environmental salts, and pollutants to prolong service life.

StoColor Acryl Plus is backed by a warranty of up to 12 years. Choosing StoColor Acryl Plus translates to enjoying vibrant and longer lasting color and a more environmentally conscious choice.

Available in flat and eggshell finishes and in a variety of colors, StoColor® Acryl Plus offers a way to enhance the appearance of building facades.










StoColor Acryl Designed to provide protection against the elements

StoColor Acryl

StoColor Acryl allows the substrate to breathe naturally, resisting peeling and blistering. Available in a flat finish, StoColor Acryl features acrylic-based composition, vapor permeability, easy cleanup, and low VOC formulation. StoColor Acryl is backed by a warranty of up to five years, offering both durability and protection and a cost-effective solution.











Better than ever. Inspiration from the top down.

StoColor Acrylic Coatings join the wealth of creative options provided by Sto. Keep your building protected from the elements with this high performance line of acrylic coatings that offers a full range of colors. Many of the aesthetic options available from Sto such as wood, brick, glass, textured finishes, and metallic coatings can be used in tandem with StoColor Acryl and StoColor Acryl Plus, delivering high performance on exterior walls.

Now that's creativity engineered to last.

Creativity Begins. Sto Finishes.®



Sto Americas

Sto Corp.

3800 Camp Creek Pkwy Building 1400, Suite 120 Atlanta, GA 30331 USA

Phone 1-800-221-2397 www.stocorp.com

ATTENTION

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, or for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to this product, and to the structure of the building or its components. STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME. For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.syccorp.com.