


PRODUCT BULLETIN

StoVentro™ Sub-construction




DESCRIPTION

StoVentro™ Sub-construction is an adjustable, thermally efficient structural system of brackets, rails, fasteners, and accessories for StoVentec® Systems and other rainscreen wall cladding assemblies. Safe and long-lasting, the sub-construction absorbs both the wind loads and dead loads present on the facade. Alongside structural suitability, the design of the sub-construction incorporates corrosion resistance and a reduction in thermal bridging, while also being quick and easy to install.

STOVENTRO BRACKET – SS


StoVentro Bracket – SS is a stainless-steel wall bracket. Brackets are offered with and without a spring finger, for insertion of StoVentro T or L- Profiles. Large Brackets (FP) transfer dead loads, and wind loads to the primary structure. Small Brackets (GP) transfer only wind loads to the primary structure. A thermal break accessory is available with the brackets to minimize thermal bridging effects.

	StoVentro Bracket-SS Large Brackets (FP)	StoVentro Bracket-SS Small Brackets (GP)	
Thickness	2.5mm (1/8in)	2.0mm (1/16in)	
Height	130mm (5-1/8 in)	75mm (2-15/16in)	
Depth	40mm – 360mm depth in 20mm increments (1-9/16in - 14-3/16in in 13/16in)		
Adjustability	30mm (1-3/16in)	30mm (1-3/16in)	

STOVENTRO BRACKET – ALUM

StoVentro Bracket – ALUM is an aluminum wall bracket. Large Brackets (FP) transfer dead loads, and wind loads to the primary structure. Small Brackets (GP) transfer only wind loads to the primary structure. A thermal break accessory is available with the brackets to minimize thermal bridging effects.

Thermal Blocking Element - 6mm (1/4in) thick thermal break accessory that isolates the wall bracket from thermal bridging effects of the primary structure, available in two sizes to match the footprint of the large or small bracket.

	StoVentro Bracket-ALUM Large Brackets (FP)	StoVentro Bracket-ALUM Small Brackets (GP)	
Thickness	40mm-180mm Brackets 3.2mm (1/8in)	40mm-180mm Brackets 3.2mm (1/8in)	
	200mm-320mm Brackets 4.2mm (3/16in)	200mm-320mm Brackets 4.2mm (3/16in)	
Height	135mm (5-5/16 in)	95.5mm (3-3/4in)	
Depth	40mm – 320mm depth in 20mm increments (1-9/16in – 12-5/8in in 13/16in)		
Adjustability	30mm (1-3/16in)	30mm (1-3/16in)	


PRODUCT BULLETIN

StoVentro™ Sub-construction

STOVENTRO BRACKET – PHSS

StoVentro Bracket – PHSS is a specially designed bracket for Passive House wall construction that is free from thermal bridges and maximizes the thickness of insulation that can be used in the wall assembly.


Thermal Blocking Element – 10mm (3/8in) thick thermal break accessory that isolates the wall bracket from thermal bridging effects of the primary structure, in two sizes to match the footprint of the large or small bracket. Thermal Sliding Element – 1mm (1/32in) thick thermal break accessory that isolates the StoVentro ‘T’ or ‘L’-Profiles from thermal bridging effects of the wall bracket.

	StoVentro-PHSS Large Brackets (FP)	StoVentro-PHSS Small Brackets (GP)	
Thickness	1.5mm (1/16in)	1.5mm (1/16in)	
Height	135mm (5-5/16in)	65mm (2-1/2in)	
Depth	200-360mm in 10mm increments (7-7/8in – 14-3/16in in 3/8in)		
Adjustability	30mm (1-3/16in)	30mm (1-3/16in)	

STOVENTRO THERMAL BLOCKING ELEMENT

Thermal Blocking Element - 6mm (1/4in) thick thermal break accessory that isolates the wall bracket from thermal bridging effects of the primary structure, available in two sizes to match the footprint of the large or small bracket for the ALUM and SS StoVentro Brackets.


Thermal Blocking Element - 10mm (3/8in) thick thermal break accessory that isolates the wall bracket from thermal bridging effects of the primary structure, available in two sizes to match the footprint of the large or small bracket in the PHSS StoVentro Brackets.

	6mm Thermal Blocking Element	10mm Thermal Blocking Element	
Thickness	6mm (1/4in)	10mm (3/8in)	
Height	Matches corresponding ALUM & SS brackets	Matches corresponding PHSS brackets	
Hole Pattern	Matches corresponding ALUM & SS brackets	Matches corresponding PHSS brackets	

STOVENTRO T-PROFILES and L-PROFILES

StoVentro T and L-Profiles are aluminum rails/profiles. The profiles are the supporting sub-construction for the rainscreen attachment profile or cladding. StoVentro T-Profiles come in two sizes for more flexibility of attaching rainscreen claddings. StoVentro L-Profiles are also used to stiffen outside corners at cantilevered sections rainscreen cladding.

Thermal Sliding Element – 1mm (1/32in) thick thermal break accessory that isolates the StoVentro ‘T’ or ‘L’-Profiles from thermal bridging effects of the wall bracket.


	StoVentro T-Profiles	StoVentro L-Profile	
Thickness	2.7mm (1/8in)	2.7mm (1/8in)	
Bearing Surface	90mm or 120mm (3-9/16in) or (4-3/4in)	40mm x 50mm (1-9/16in x 2in)	
Insertion Leg	52.7mm (2in)	40mm or 50mm (1-9/16in or 2in)	
Length	Standard, 3m (9ft-10in) Custom available, 6m (19ft-7in)		

PRODUCT BULLETIN

StoVentro™ Sub-construction


STOVENTRO GULLWING T-PROFILE

StoVentro Gullwing T-Profiles are aluminum rails/profiles. The profiles are the supporting sub-construction for the rainscreen attachment profile or cladding and provide additional 10mm (3/8in) panel reveal features. StoVentro Gullwing T-Profiles are used at panel joints in open jointed rainscreen systems. There is 20mm (13/16in) adjustability with each Gullwing T-Profile.



	StoVentro Gullwing T-Profiles	
Thickness	1.6mm (1/16in)	
Bearing Surface	137mm (5-3/8in)	
Insertion Leg	42mm (1-5/8in)	
Length	3m (9ft-10in)	

STOVENTRO EXTENSION BRACKETS

StoVentro Extension Brackets are made of aluminum or stainless-steel to fit with the respective aluminum or stainless-steel brackets. The extension brackets allow for in the field flexibility. Brackets allow for up to 60mm of extension from bracket.

	StoVentro SS Extension Brackets	StoVentro ALUM Extension Brackets	
Thickness	2.0mm (1/16in)	3.2mm (1/8in)	
Height	FP: 130.5mm (5-1/8in) GP: 75.5mm (3in)	FP: 135mm (5-5/16in) GP: 95.5mm (3-3/4in)	
Depth	100mm (3-15/16in)	100mm (3-15/16in)	
Hole Pattern	Matches corresponding bracket		

STOVENTRO SUB-CONSTRUCTION SCREW

	<p>The StoVentro Sub-construction Screw is a self-drilling, hexagonal head stainless steel screw with a hardened drill point and overtightening protection for attachment of StoVentro T-Profiles and StoVentro L-Profiles to StoVentro Brackets.</p> <p>Size: 5.5mm x 22mm (3/16in x 7/8in), 500 per box</p>
	<p>The StoVentro Bracket to Steel Stud Fastener with washer, is a self-drilling hexagonal head stainless steel screw (Bi-Metal) with a hardened drill point for attachment of StoVentro Brackets to metal stud walls.</p> <p>Size: 1/4-14 x 2" (1/4in x 2in), 250 per bag</p>


PRODUCT BULLETIN

StoVentro™ Sub-construction

PRODUCT LIST

For list all the SKUs, products, and photos, see StoVentro™ Product List.

Sto Corp. Part number	Category	Sub-category	Description	UOM	Qty per package	Image
09618-001	Bracket	Bkt, Alum	Bkt, Alum, FP, 40mm, 3.2mm	PC	20	
09618-002	Bracket	Bkt, Alum	Bkt, Alum, FP, 60mm, 3.2mm	PC	20	
09618-003	Bracket	Bkt, Alum	Bkt, Alum, FP, 80mm, 3.2mm	PC	20	
09618-004	Bracket	Bkt, Alum	Bkt, Alum, FP, 100mm, 3.2mm	PC	20	
09618-005	Bracket	Bkt, Alum	Bkt, Alum, FP, 120mm, 3.2mm	PC	20	
09618-006	Bracket	Bkt, Alum	Bkt, Alum, FP, 140mm, 3.2mm	PC	20	
09618-007	Bracket	Bkt, Alum	Bkt, Alum, FP, 160mm, 3.2mm	PC	20	
09618-008	Bracket	Bkt, Alum	Bkt, Alum, FP, 180mm, 3.2mm	PC	20	
09618-009	Bracket	Bkt, Alum	Bkt, Alum, FP, 200mm, 4.2mm	PC	20	
09618-010	Bracket	Bkt, Alum	Bkt, Alum, FP, 220mm, 4.2mm	PC	20	
09618-011	Bracket	Bkt, Alum	Bkt, Alum, FP, 240mm, 4.2mm	PC	20	
09618-012	Bracket	Bkt, Alum	Bkt, Alum, FP, 260mm, 4.2mm	PC	20	
09618-013	Bracket	Bkt, Alum	Bkt, Alum, FP, 280mm, 4.2mm	PC	20	
09618-014	Bracket	Bkt, Alum	Bkt, Alum, FP, 300mm, 4.2mm	PC	20	
09618-015	Bracket	Bkt, Alum	Bkt, Alum, FP, 320mm, 4.2mm	PC	20	
09619-001	Bracket	Bkt, Alum	Bkt, Alum, GP, 40mm, 3.2mm	PC	20	
09619-002	Bracket	Bkt, Alum	Bkt, Alum, GP, 60mm, 3.2mm	PC	20	
09619-003	Bracket	Bkt, Alum	Bkt, Alum, GP, 80mm, 3.2mm	PC	20	
09619-004	Bracket	Bkt, Alum	Bkt, Alum, GP, 100mm, 3.2mm	PC	20	
09619-005	Bracket	Bkt, Alum	Bkt, Alum, GP, 120mm, 3.2mm	PC	20	
09619-006	Bracket	Bkt, Alum	Bkt, Alum, GP, 140mm, 3.2mm	PC	20	
09619-007	Bracket	Bkt, Alum	Bkt, Alum, GP, 160mm, 3.2mm	PC	20	
09619-008	Bracket	Bkt, Alum	Bkt, Alum, GP, 180mm, 3.2mm	PC	20	
09619-009	Bracket	Bkt, Alum	Bkt, Alum, GP, 200mm, 4.2mm	PC	20	
09619-010	Bracket	Bkt, Alum	Bkt, Alum, GP, 200mm, 4.2mm	PC	20	
09619-011	Bracket	Bkt, Alum	Bkt, Alum, GP, 240mm, 4.2mm	PC	20	
09619-012	Bracket	Bkt, Alum	Bkt, Alum, GP, 260mm, 4.2mm	PC	20	
09619-013	Bracket	Bkt, Alum	Bkt, Alum, GP, 280mm, 4.2mm	PC	20	
09619-014	Bracket	Bkt, Alum	Bkt, Alum, GP, 300mm, 4.2mm	PC	20	
09619-015	Bracket	Bkt, Alum	Bkt, Alum, GP, 320mm, 4.2mm	PC	20	
09391-001	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 200mm	PC	20	
09391-002	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 210mm	PC	20	
09391-003	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 220mm	PC	20	
09391-004	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 230mm	PC	20	
09391-005	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 240mm	PC	20	
09391-006	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 250mm	PC	20	
09391-007	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 260mm	PC	20	
09391-008	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 270mm	PC	20	
09391-009	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 280mm	PC	20	
09391-010	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 290mm	PC	20	
09391-011	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 300mm	PC	20	
09391-012	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 310mm	PC	20	
09391-013	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 320mm	PC	20	
09391-014	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 330mm	PC	20	
09391-015	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 340mm	PC	20	
09391-016	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 350mm	PC	20	
09391-017	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 360mm	PC	20	






PRODUCT BULLETIN

StoVentro™ Sub-construction

PRODUCT LIST

For list all the SKUs, products, and photos, see StoVentro™ Product List.






Sto Corp. Part number	Category	Sub-category	Description	UOM	Qty per package	Image
09386-001	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 200mm	PC	20	
09386-002	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 210mm	PC	20	
09386-003	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 220mm	PC	20	
09386-004	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 230mm	PC	20	
09386-005	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 240mm	PC	20	
09386-006	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 250mm	PC	20	
09386-007	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 260mm	PC	20	
09386-008	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 270mm	PC	20	
09386-009	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 280mm	PC	20	
09386-010	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 290mm	PC	20	
09386-011	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 300mm	PC	20	
09386-012	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 310mm	PC	20	
09386-013	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 320mm	PC	20	
09386-014	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 330mm	PC	20	
09386-015	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 340mm	PC	20	
09386-016	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 350mm	PC	20	
09386-017	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 360mm	PC	20	
07199-003-01	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 40 mm w/o spring	PC	20	
09610-001	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 60mm, w/o spring	PC	20	
09610-002	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 80mm, w/o spring	PC	20	
09610-003	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 100mm, w/o spring	PC	20	
09610-004	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 120mm, w/o spring	PC	20	
09610-005	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 140mm, w/o spring	PC	20	
09610-006	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 160mm, w/o spring	PC	20	
09610-007	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 180mm, w/o spring	PC	20	
09610-008	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 200mm, w/o spring	PC	20	
09610-009	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 220mm, w/o spring	PC	20	
09610-010	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 240mm, w/o spring	PC	20	
09610-011	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 260mm, w/o spring	PC	20	
09610-012	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 280mm, w/o spring	PC	20	
09610-013	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 300mm, w/o spring	PC	20	
09610-014	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 320mm, w/o spring	PC	20	
09610-015	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 340mm, w/o spring	PC	20	
09610-016	Bracket	Bkt, SS w/o spring	Bkt, SS, FP, 360mm, w/o spring	PC	20	
07199-003-02	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 40 mm w/o spring	PC	20	
09612-001	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 60mm, w/o spring	PC	20	
09612-002	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 80mm, w/o spring	PC	20	
09612-003	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 100mm, w/o spring	PC	20	
09612-004	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 120mm, w/o spring	PC	20	
09612-005	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 140mm, w/o spring	PC	20	
09612-006	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 160mm, w/o spring	PC	20	
09612-007	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 180mm, w/o spring	PC	20	
09612-008	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 200mm, w/o spring	PC	20	
09612-009	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 220mm, w/o spring	PC	20	
09612-010	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 240mm, w/o spring	PC	20	
09612-011	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 260mm, w/o spring	PC	20	
09612-012	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 280mm, w/o spring	PC	20	
09612-013	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 300mm, w/o spring	PC	20	
09612-014	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 320mm, w/o spring	PC	20	
09612-015	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 340mm, w/o spring	PC	20	
09612-016	Bracket	Bkt, SS w/o spring	Bkt, SS, GP, 360mm, w/o spring	PC	20	

PRODUCT BULLETIN

StoVentro™ Sub-construction

PRODUCT LIST

For list all the SKUs, products, and photos, see StoVentro™ Product List.

Sto Corp. Part number	Category	Sub-category	Description	UOM	Qty per package	Image
09614-001	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 80mm, with spring	PC	20	
09614-002	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 100mm, with spring	PC	20	
09614-003	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 120mm, with spring	PC	20	
09614-004	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 140mm, with spring	PC	20	
09614-005	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 160mm, with spring	PC	20	
09614-006	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 180mm, with spring	PC	20	
09614-007	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 200mm, with spring	PC	20	
09614-008	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 220mm, with spring	PC	20	
09614-009	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 240mm, with spring	PC	20	
09614-010	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 260mm, with spring	PC	20	
09614-011	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 280mm, with spring	PC	20	
09614-012	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 300mm, with spring	PC	20	
09614-013	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 320mm, with spring	PC	20	
09614-014	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 340mm, with spring	PC	20	
09614-015	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 360mm, with spring	PC	20	
09616-001	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 80mm, with spring	PC	20	
09616-002	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 100mm, with spring	PC	20	
09616-003	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 120mm, with spring	PC	20	
09616-004	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 140mm, with spring	PC	20	
09616-005	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 160mm, with spring	PC	20	
09616-006	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 180mm, with spring	PC	20	
09616-007	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 200mm, with spring	PC	20	
09616-008	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 220mm, with spring	PC	20	
09616-009	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 240mm, with spring	PC	20	
09616-010	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 260mm, with spring	PC	20	
09616-011	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 280mm, with spring	PC	20	
09616-012	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 300mm, with spring	PC	20	
09616-013	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 320mm, with spring	PC	20	
09616-014	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 340mm, with spring	PC	20	
09616-015	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 360mm, with spring	PC	20	
08198-001	Profile	Profile	T-rail, 90 X 52 X 2.7mm, 3m	PC	1	
08198-002	Profile	Profile	L-rail, 50 X 40 X 2.7mm, 3m	PC	1	
08208-001	Profile	Profile	Agraffe Rail, 3m	PC	1	
81747-001	Profile	Profile	T-profile gullwing 137 x 52 x 1.63mm, 3m	PC	1	
81747-002	Profile	Profile	T-rail, 120 x 52 x 2.7mm, 3m	PC	1	

PRODUCT BULLETIN

StoVentro™ Sub-construction

PRODUCT LIST

For list all the SKUs, products, and photos, see StoVentro™ Product List.

07025-009	Fastener	Fastener	Fastener, bkt to profile, Ventro HWH 5.5X22 MM, SS	PC	500	
81651-001	Fastener	Fastener	Fastener, bkt to steel stud, HWH 1/4-14 x 2" w/ wshr, SS	PC	250	
07610-006	Accessory	Thermal isolator	Thermal Blocking Elem, FP, for Alum Bkt	PC	Inquire	
07610-007	Accessory	Thermal isolator	Thermal Blocking Elem, GP, for Alum Bkt	PC	Inquire	
07610-008	Accessory	Thermal isolator	Sto-Thermal Blocking Elem FP for SS Bkt	PC	Inquire	
07610-009	Accessory	Thermal isolator	Sto-Thermal Blocking Elem GP for SS Bkt	PC	Inquire	
09392-002	Accessory	Thermal isolator	Thermal Sliding Element PH Small	PC	Inquire	
09392-003	Accessory	Thermal isolator	Thermal Sliding Element PH Large	PC	Inquire	
81649-001	Accessory	Bracket extension	Extension, bkt, SS, GP	PC	Inquire	
81649-002	Accessory	Bracket extension	Extension, bkt, SS, FP	PC	Inquire	
81650-001	Accessory	Bracket extension	Extension, bkt, Alum, GP	PC	Inquire	
81650-002	Accessory	Bracket extension	Extension, bkt, Alum, FP	PC	Inquire	

Sto Corp.

3800 Camp Creek Parkway
Building 1400, Suite 120
Atlanta, GA 30331
Tel: 404-346-3666
Toll Free: 1-800-221-2397
Fax: 404-346-3119

www.stocorp.com

Revision Number: 2.0
Date: 05/2021

ATTENTION

This product is intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. It should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, or for other construction activities beyond Sto's control. Improper use of this product or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to this product, and to the structure of the building or its components. **STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME.** For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com.