


StoTherm® - EIF System NExT (SMI)
Small Missile Hurricane Impact Resistant System
Miami-Dade County NOA # 13-0109.01 Expires: 03/21/2018

Detail No.: 10H.12
Date: August 2015



1 6", 16 ga. Steel Studs at 16-inches on-center.

2 5/8-inch Thick National Gypsum eXP® Sheathing

3 Sto Mesh Embedded in Sto Primer/Adhesive-B

4 Sto Gold Coat®

5 Miami-Dade County Listed EPS, 1.0 pcf, Minimum 1-inch Thick installed with Sto Primer/Adhesive-B

6 Sto Mesh Embedded in Sto Primer/Adhesive-B

7 Sto Finish

8 No. 6 x 1-¼" Corrosion-Resistant Wafer-head Screws Spaced at 6 inches On-Center Along Studs in Field and Perimeter.

Notes:

1. Comply with written requirements presented in official Notice of Acceptance available at www.stocorp.com and www.miamidade.gov.

2. Materials deemed equivalent or better may be substituted based on analysis by a qualified engineer and/or at the discretion of the local code official in locations outside of the High Velocity Hurricane Zone (Dade and Broward Counties).

3. Refer to Sto specifications and product bulletins for detailed information on mixing and application of products.

HVHZ
Design Pressure:
 ± 150 p.s.f.

Property of Sto Corp. All Rights Reserved.

ATTENTION

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, or for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to Sto products, and to the structure of the building or its components.

STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME. For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com.

www.stocorp.com

