


# StoPowerwall® Stucco/Brick/Window Interface

Date: December 2015



## Notes:

- 1] Provide a mock-up installation and test using materials and substrates associated with the project.
- 2] Prepare opening prior to the installation of the window. Integrate flashing to drain to the exterior as recommended by the Brick Industry of America\*.
- 3] Provide moisture barrier and other associated trim and accessories as noted in Sto detail 4.01.
- 4] In cold climates the flashing depicted could create a thermal bridge. In those cases provide a thermal break between sill flashing and interior.
- 5] Maintain continuity of weather barrier behind claddings.
- 6] Flash StoPowerwall stucco termination to drain water away from brick cavity.

\* BIA Technical Notes 7 - Water Resistance of Brick Masonry, Design and Detailing Part 1 Feb. 1985 (April 2001)

IMPORTANT: Components not identified as Sto are furnished by other manufacturers and are not necessarily installed by trades who install the Sto products. Refer to project specific contract documents.

Property of Sto Corp. All Rights Reserved.

## Attention

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, or for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to Sto products, and to the structure of the building or its components. **STO CORP. DISCLAIMS ALL WARRANTIES EXPRESS OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME.** For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, [www.stocorp.com](http://www.stocorp.com).

[www.stocorp.com](http://www.stocorp.com)