




StoPowerwall® DrainScreen™ Saddle Flashing

Detail No.: 5.65 DS

Date: October 2014



Property of Sto Corp. All Rights Reserved.

Notes:

1. Install StoGuard® waterproof air barrier membrane behind flashing assembly integrated with compatible roof or barrier membrane over the Parapet.
2. Install saddle flashing assembly.
(Refer to Sto Detail 1.65b for Assembly of Saddle Flashing.)
3. Install Sto joint treatment over the top of the saddle flashing and stucco weep screed termination.
(Refer to Sto Detail 5.09 DS)
4. Lap StoPowerwall® over the flashing assembly at the top by a minimum of 2" (50mm) and terminate with 3/8" (10mm) joint around the perimeter.

Options:

StoGuard® Waterproof Air Barrier Membrane options:

- a. Sto EmeraldCoat® (high perm)
- b. StoGuard® VaporSeal™ (vapor impermeable).

IMPORTANT: Components not identified as Sto are furnished by other manufacturers and are not necessarily installed by trades who install the Sto products. Refer to project specific contract documents.

ATTENTION

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, or for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to Sto products, and to the structure of the building or its components.

STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME. For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com.

www.stocorp.com