

## StoPowerwall® ExtraSeal® Termination at Balcony Soffit

ATTENTION

Sto ExtraSeal® Skim Coat Water-Resistive Air Barrier (See Note 1) **Termination Accessory** (See Note 7) Sto Drip Masonry Edge Profile Sto Base Coat Substrate with Sto Mesh embedded Backer Rod Sto Primer & Sealant Optional (See Note 5) Balconv Termination Accessorv See Inset (See Note 7) Sto Textured Finish Termination Sheathing Accessory (See Note 6) (See Note 7) Backer Rod & Sealant **Balcony Termination** Accessory with Drip Edge (See Note 7) Metal Frame Inset

## **Notes:**

1. Refer to StoGuard Product Use Chart (Table 1.1) for StoGuard detail components; joint treatment, rough opening protection, backing for masonry anchors, or transitions to dissimilar materials, joints and seams in construction.

Detail No.: 65c.12

Date: January 2025

- 2. Refer to General Notes for specific information and design guidance on wall assembly components.
- 3. Provide air barrier and continuity of water protection at the wall/deck interface.
- 4. Stucco brown coat material in compliance with ASTM C926 and manufactured or listed by Sto Corp.
- 5. Sto Primer is required for Sto Specialty Finishes such as Sto GraniTex, StoSignature Brick, and others. Refer to specific Sto finish product bulletins.
- 6. Glass mat gypsum sheathing in compliance with ASTM C1177 or cementitious sheathing in compliance with ASTM C1325.
- 7. Components not identified as Sto are furnished by other manufacturers and are not necessarily installed by trades who install the Sto products. Refer to project specific contract documents.

Property of Sto Corp. All Rights Reserved.

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp, disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, of for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to Sto products, and to the structure of the building or its components.

STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME. For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com.



