

## StoPowerwall® ExtraSeal® **Soffit - Uninsulated Vented**

ATTENTION

Detail No.: 65c.35 Date: January 2025 **Notes:** 

## Casing Bead Accessory by others Wood Framing (See Note 7) Sub-Fascia Soffit Vent Soffit Board Casing Bead Accessory by others (See Note 6) Fascia Flashing (See Note 7) Backer Rod with Drip Edge or & Sealant Approved Covering by Others. Casing Bead Accessory by others (See Note 7) Gutter Sto Primer (Optional) See Note 5 Sto Basecoat (with Sto Mesh embedded) Sto Primer (Optional - See Note 5) Masonry Substrate Sto Textured Finish Sto Powerwall® Brown Coat (See Note 3) Sto ExtraSeal® Scratch Coat Sto ExtraSeal® Skim Coat Water-Resistive Air Barrier (See Note 1)

- 1. Refer to StoGuard Product Use Chart (Table 1.1) for StoGuard detail components; joint treatment, rough opening protection, backing for masonry anchors, or transi-tions to dissimilar materials, joints and seams in construc-
- 2. Refer to General Notes for specific information and design guidance on wall assembly components.
- 3. Stucco brown coat material in compliance with ASTM C926 and manufactured or listed by Sto Corp.
- 4. Refer to applicable Sto guide specifications, product bulletins, Tech Hotlines, and other Sto guide details for additional information.
- 5. Sto Primer is required for Sto Specialty Finishes such as Sto GraniTex, StoSignature Brick, and others. Refer to specific Sto finish product bulletins.
- 6. See StoQuik Finish Systems for Soffits and Ceilings Specification No.1400 and Detail Booklet 14s.xx for more information
- 7. Components not identified as Sto are furnished by other manufacturers and are not necessarily installed by trades who install the Sto products. Refer to project specific contract documents.

Property of Sto Corp. All Rights Reserved.

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, of for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to Sto products, and to the structure of the building or its components.

www.stocorp.com

